English

PROTEAN® Fragment Plating System
INSTRUCTIONS FOR USE (IFU) FOR THE UNITED STATES OF AMERICA

℞: For use by physicians only. Federal Law restricts this device to sale by or on the order of a physician.

This package insert is designed to provide Instructions for Use of the PROTEAN® Fragment Plating System. **Failure to follow instructions may lead to patient injury.**

Description

The PROTEAN® Fragment Plating System is a set of titanium bone plates designed for stabilization and repair of small bone fragments. Included in the set are titanium and cobalt chrome bone screws, K-Wires, and specialized instrumentation. The system is provided non-sterile and is sterilized in the user facility.
The PROTEAN® Fragment Plating System is comprised of:

- Titanium alloy plates
- Titanium and cobalt chrome screws
- Stainless steel and cobalt chrome K-Wires (for provisional fixation not for implantation)

Indications

The PROTEAN® Fragment Plating System is intended for stabilization and fixation of small bone fragments in fresh fractures, revision procedures, joint fusion and reconstructions of small bones of the hand, foot, wrist, ankle, humerus, clavicle, scapula, finger, toe, and pelvis, particularly in osteopenic bone with the appropriate configuration of the device. The system is intended for use in adult and pediatric populations (children and adolescents).

Contraindications

Prior to using the PROTEAN® Fragment Plating System, ensure that none of the following patient conditions are present: active or latent infection, insufficient quantity or quality of bone and/or soft tissue, material sensitivity, or patients who are unwilling or incapable of following post operative care instructions. The use of the Protean Fragment Plating System is contraindicated in cases where the implant(s) would cross open epiphyseal plates in skeletally immature patients.

⚠ Warnings and Precautions

- If the screws are not attached and/or fully tightened, a non-union, delayed union or construct failure may occur.
- The information in this document should be shared with the patient.
- The patient should be informed about the importance of following the post operative rehabilitation prescribed to fully understand the limitations in activities of daily living. The patient must be warned that failure to follow postoperative care instructions may cause the implant or treatment to fail.
- Potential Fragment Plating System construct failures such as implant breakage, loosening, fixation failure, delayed union, or non-union may occur as a result of non-compliance to post operative rehabilitation, excessive wrist activities or construct overloading.
- DO NOT reuse any of the Fragment Plating System implantable components. Reuse may compromise the structural integrity of the construct.
  DO NOT open the volar capsule as it may devascularize fracture fragments and destabilize the volar wrist ligaments.
- Protect the Fragment Plating System's implantable components against scratching or nicking. Such stress concentration can lead to implant failure.
- Before using the Fragment Plating System, inspect all implants and instruments for wear, disfiguration and physical damage. If evidence of wear, disfiguration or physical damage is found, DO NOT use and contact your local Skeletal Dynamics representative or the Skeletal Dynamics Customer Care Department.
- DO NOT permanently implant the Skeletal Dynamics K-Wires; they are intended to be used during provisional fixation of the Fragment Plating.
- DO NOT permanently implant the pre-loaded Drill Guides or AIMing Guides; they are intended to be removed prior to peg insertion.
- The Fragment Plating System has not been evaluated for safety and compatibility in the MR environment. It has not been tested for heating, migration, or image artifact in the MR environment. The safety of the Fragment

IFU-01206-00 V.4 – February 2026
© 2026 Skeletal Dynamics, Inc.

Plating System in the MR environment is unknown. Scanning a patient who has this device may result in patient injury.

- DO NOT use peg/screw lengths that will excessively protrude through the far cortex as it may result in soft tissue irritation.
- The maximum angulation of the PLS should not exceed 10° from the trajectory of the respective hole.
- The Non-locking Threaded Pegs are NOT intended to provide subchondral support. Their use should be limited to capture remote bone fragments where partially or fully threaded pegs cannot be used.
- The Fragment Plating System is to be used only with Skeletal Dynamics instruments, implants and accessories.
- Dispose of contaminated implants and instruments per established facility guidelines and protocols.
- Caution should be taken for interference to pacemakers during electrocautery or by uncertified drill power sources.
- Seek medical help immediately if implant malfunctions.
- To maintain traceability of the Fragment Plating System implantable components, you must record each of the respective components LOT numbers into the patient records.

Potential Adverse Events

The following are potential risks that have been associated with orthopedic surgery: infection, non-union, persistent pain, loosening or migration of the implants.

Directions for Use

The PROTEAN® Fragment Plating System should only be used by surgeons who have experience with this system. Each surgeon must evaluate the appropriateness for the use of the Fragment Plating System based on their clinical experiences. Please refer to the appropriate PROTEAN® Fragment Plating System's Surgical Technique Guide (MKT-00005-00, MKT-00082-00, MKT-00485-00 or MKT-00498-00) to review the surgical approach as described by Jorge L. Orbay, M.D. of the *Miami Hand and Upper Extremity Institute* located in Miami, Florida.

Cleaning, Sterilization, and Inspection

For instructions on cleaning, disinfection, sterilization, and inspection of the PROTEAN® Fragment Plating System products please refer to the cleaning and sterilization instructions for use (IFU-04056-00). Refer to the appropriate PROTEAN® Fragment Plating System Surgical Technique Guide (MKT-00005-00, MKT-00082-00, MKT-00485-00 or MKT-00498-00) for proper kitted tray arrangement.

Resources

The latest version of the Instructions for Use may be requested in a physical format by email (orders@skeletaldynamics.com) or by phone (+1-877-753-5396). The physical copy will be provided within 7 calendar days of receiving a request from the user or at the time of delivery of the device if so, requested at the time of order.
For the most current instructions for use visit www.skeletaldynamics.com/resources. Instructions for Use should always be reviewed before using or implanting a device.

Disclaimer of Warranty and Limited Remedies

Skeletal Dynamics, Inc makes no express or implied warranty, including any implied warranty of merchantability or fitness for a particular purpose, on the product(s) described in this publication. Skeletal Dynamics, Inc. shall not be liable under any circumstances for any direct, incidental or consequential damages other than as expressly provided by specific law. No person has authority to bind Skeletal Dynamics, Inc. to any representation or warranty except as specifically set forth in this publication. Descriptions or specifications provided by Skeletal Dynamics, Inc. in any publication is only included to generally describe the product when manufactured and do not constitute any express warranties.

Skeletal Dynamics, Inc
7300 N. Kendall Dr. / Suite 800
Miami, FL 33156
United States of America
1-877-753-5396

MD NON STERILE

IFU-01206-00 V.4 – February 2026
© 2026 Skeletal Dynamics, Inc.

SYMBOLS GLOSSARY

Symbols that follow BS EN ISO 15223-1 / Medical Devices-Symbols to be used with medical device labels, labelling and information to be supplied.

Symbol	Symbol Reference Number and Title	Description
	5.2.7 Non-sterile	Indicates a medical device that has not been subjected to a sterilization process
	5.2.6 Do not resterilize	Indicates a medical device that is not to be resterilized
	5.1.6 Catalogue Number	Indicates the manufacturer's catalogue number so the medical device can be identified
	5.4.3 Consult Instructions for Use	Indicates the need for the user to consult the instructions for use
	5.1.5 Batch Code	Indicates the manufacturer's batch code or lot can be identified
	5.4.2 Do Not Re-use	Indicates a medical device that is intended for one single use only
	5.1.1 Manufacturer	Indicates the medical device manufacturer
	5.2.8 Do Not Use If Package is Damaged	Indicates a medical device that should not be used if the package has been damaged or opened
	5.1.4 Use-by-date	Indicates the date after which the medical device is not to be used
	5.7.10 Unique Device Identifier	Indicates a carrier that contains unique device identifier information
	5.7.7 Medical device	Indicated the item is a medical device
	5.1.3 Date of Manufacture	Indicates the date when the medical device was manufactured

© 2026 Skeletal Dynamics, Inc.

PROTEAN Fragment Plate	
PROTEAN Fragment Plate, Double Hockey Stick PRT-FSP-LR (01)00841506102917 (01) 00841506102917	PROTEAN Fragment Plate, Y PRT-FSP-YS (01)00841506102931 (01) 00841506102931
PROTEAN Fragment Plate, Scapholunate, Short, Right PRT-FSP-SR1 (01)00841506103860 (01) 00841506103860	PROTEAN Fragment Plate, Scapholunate, Long, Right PRT-FSP-SR2 (01)00841506103884 (01) 00841506103884
PROTEAN Fragment Plate, Scapholunate, Short, Left PRT-FSP-SL1 (01)00841506103877 (01) 00841506103877	PROTEAN Fragment Plate, Scapholunate, Long, Left PRT-FSP-SL2 (01)00841506103891 (01) 00841506103891
PROTEAN Fragment Plate, Radial Column Plate, Right PRT-RCP-RT (01)00841506109923 (01) 00841506109923	PROTEAN Fragment Plate, Central Column Plate, Right PRT-CCP-RT (01)00841506109947 (01) 00841506109947
PROTEAN Fragment Plate, Radial Column Plate, Left PRT-RCP-LT (01)00841506109930 (01) 00841506109930	PROTEAN Fragment Plate, Central Column Plate, Left PRT-CCP-LT (01)00841506109954 (01) 00841506109954
PROTEAN Fragment Plate, Distal Ulna PRT-FSP-DU (01)00841506102900 (01) 00841506102900	

Threaded Peg, Locking Screws, 2.3mm	
Threaded Peg, Locking, 2.3mm x 10mm, Ti TPLS-23100-TS (01)00841506103358 (01) 00841506103358	Threaded Peg, Locking, 2.3mm x 20mm, Ti TPLS-23200-TS (01)00841506103426 (01) 00841506103426
Threaded Peg, Locking, 2.3mm x 12mm, Ti TPLS-23120-TS (01)00841506103365 (01) 00841506103365	Threaded Peg, Locking, 2.3mm x 21mm, Ti TPLS-23210-TS (01)00841506103433 (01) 00841506103433
Threaded Peg, Locking, 2.3mm x 14mm, Ti TPLS-23140-TS (01)00841506103372 (01) 00841506103372	Threaded Peg, Locking, 2.3mm x 22mm, Ti TPLS-23220-TS (01)00841506103440 (01) 00841506103440
Threaded Peg, Locking, 2.3mm x 16mm, Ti TPLS-23160-TS (01)00841506103389 (01) 00841506103389	Threaded Peg, Locking, 2.3mm x 23mm, Ti TPLS-23230-TS (01)00841506103457 (01) 00841506103457
Threaded Peg, Locking, 2.3mm x 17mm, Ti TPLS-23170-TS (01)00841506103396 (01) 00841506103396	Threaded Peg, Locking, 2.3mm x 24mm, Ti TPLS-23240-TS (01)00841506103464 (01) 00841506103464

© 2026 Skeletal Dynamics, Inc.

Threaded Peg, Locking, 2.3mm x 18mm, Ti TPLS-23180-TS (01)00841506103402 (01) 00841506103402	Threaded Peg, Locking, 2.3mm x 26mm, Ti TPLS-23260-TS (01)00841506103471 (01) 00841506103471
Threaded Peg, Locking, 2.3mm x 19mm, Ti TPLS-23190-TS (01)00841506103419 (01) 00841506103419	Threaded Peg, Locking, 2.3mm x 28mm, Ti TPLS-23280-TS (01)00841506103488 (01) 00841506103488
High Compression Locking Screws, 2.7mm	
High Compression Locking Peg, 2.7mm x 10mm, Ti HCLP-27100-TS (01)00841506101682 (01) 00841506101682	High Compression Locking Peg, 2.7mm x 21mm, Ti HCLP-27210-TS (01)00841506101750 (01) 00841506101750
High Compression Locking Peg, 2.7mm x 12mm, Ti HCLP-27120-TS (01)00841506101699 (01) 00841506101699	High Compression Locking Peg, 2.7mm x 22mm, Ti HCLP-27220-TS (01)00841506101767 (01) 00841506101767
High Compression Locking Peg, 2.7mm x 14mm, Ti HCLP-27140-TS (01)00841506101705 (01) 00841506101705	High Compression Locking Peg, 2.7mm x 23mm, Ti HCLP-27230-TS (01)00841506101774 (01) 00841506101774
High Compression Locking Peg, 2.7mm x 16mm, Ti HCLP-27160-TS (01)00841506101712 (01) 00841506101712	High Compression Locking Peg, 2.7mm x 24mm, Ti HCLP-27240-TS (01)00841506101781 (01) 00841506101781
High Compression Locking Peg, 2.7mm x 18mm, Ti HCLP-27180-TS (01)00841506101729 (01) 00841506101729	High Compression Locking Peg, 2.7mm x 26mm, Ti HCLP-27260-TS (01)00841506101798 (01) 00841506101798
High Compression Locking Peg, 2.7mm x 19mm, Ti HCLP-27190-TS (01)00841506101736 (01) 00841506101736	High Compression Locking Peg, 2.7mm x 28mm, Ti HCLP-27280-TS (01)00841506101804 (01) 00841506101804
High Compression Locking Peg, 2.7mm x 20mm, Ti HCLP-27200-TS (01)00841506101743 (01) 00841506101743	High Compression Locking Peg, 2.7mm x 30mm, Ti HCLP-27300-TS (01)00841506101811 (01) 00841506101811
Threaded Pegs, Non-Locking, 2.7mm	
Threaded Peg, Non-Locking, 2.7mm x 10mm, Ti TPNL-27100-TS (01)00841506103518 (01) 00841506103518	Threaded Peg, Non-Locking, 2.7mm x 22mm, Ti TPNL-27220-TS (01)00841506103570 (01) 00841506103570
Threaded Peg, Non-Locking, 2.7mm x 12mm, Ti TPNL-27120-TS (01)00841506103525 (01) 00841506103525	Threaded Peg, Non-Locking, 2.7mm x 24mm, Ti TPNL-27240-TS (01)00841506103587 (01) 00841506103587

© 2026 Skeletal Dynamics, Inc.

Threaded Peg, Non-Locking, 2.7mm x 14mm, Ti TPNL-27140-TS (01)00841506103532 (01) 00841506103532	Threaded Peg, Non-Locking, 2.7mm x 26mm, Ti TPNL-27260-TS (01)00841506103594 (01) 00841506103594
Threaded Peg, Non-Locking, 2.7mm x 16mm, Ti TPNL-27160-TS (01)00841506103549 (01) 00841506103549	Threaded Peg, Non-Locking, 2.7mm x 28mm, Ti TPNL-27280-TS (01)00841506103600 (01) 00841506103600
Threaded Peg, Non-Locking, 2.7mm x 18mm, Ti TPNL-27180-TS (01)00841506103556 (01) 00841506103556	Threaded Peg, Non-Locking, 2.7mm x 30mm, Ti TPNL-27300-TS (01)00841506103617 (01) 00841506103617
Threaded Peg, Non-Locking, 2.7mm x 20mm, Ti TPNL-27200-TS (01)00841506103563 (01) 00841506103563	
Polyaxial Locking Screws, 2.5mm	
Screw, Polyaxial Locking, 2.5mm x 10mm, CoCr PALS-25100-CC (01)00841506102665 (01) 00841506102665	Screw, Polyaxial Locking, 2.5mm x 20mm, CoCr PALS-25200-CC (01)00841506102719 (01) 00841506102719
Screw, Polyaxial Locking, 2.5mm x 12mm, CoCr PALS-25120-CC (01)00841506102672 (01) 00841506102672	Screw, Polyaxial Locking, 2.5mm x 22mm, CoCr PALS-25220-CC (01)00841506102726 (01) 00841506102726
Screw, Polyaxial Locking, 2.5mm x 14mm, CoCr PALS-25140-CC (01)00841506102689 (01) 00841506102689	Screw, Polyaxial Locking, 2.5mm x 24mm, CoCr PALS-25240-CC (01)00841506102733 (01) 00841506102733
Screw, Polyaxial Locking, 2.5mm x 16mm, CoCr PALS-25160-CC (01)00841506102696 (01) 00841506102696	Screw, Polyaxial Locking, 2.5mm x 26mm, CoCr PALS-25260-CC (01)00841506102740 (01) 00841506102740
Screw, Polyaxial Locking, 2.5mm x 18mm, CoCr PALS-25180-CC (01)00841506102702 (01) 00841506102702	Screw, Polyaxial Locking, 2.5mm x 28mm, CoCr PALS-25280-CC (01)00841506102757 (01) 00841506102757
Washer Button	
Washer, Button WBTN-2750-T (01)00841506103730 (01) 00841506103730	

© 2026 Skeletal Dynamics, Inc.

Guides	
AIMing Guides, 1.5mm PDG-AIM-015 (01)00841506102870 (01) 00841506102870	PLS AIMing Guides, .9mm x 10° PLS-AIM-0910 (01)00841506102887 (01) 00841506102887
K-Wires	
K-Wire, Standard Tip, .9mm x 152mm KWIR-STD-09152 (01)00841506102498 (01) 00841506102498	K-Wire, 1.6mm x 127mm KWIR-STD-15127 (01)00841506102504 (01) 00841506102504

© 2026 Skeletal Dynamics, Inc.

K-Wires	
K-Wire, Single Diamond, 0.9mm x 89mm, CoCr KWCC-SD-09089 (01)00841506137544 (01) 00841506137544	K-Wire, Single Diamond, 1.2mm x 89mm CoCr KWCC-SD-12089 (01)00841506138107 (01) 00841506138107
K-Wire, Double Diamond, 0.9mm x 89mm, CoCr KWCC-DT-09089 (01)00841506137551 (01) 00841506137551	K-Wire, Double Double, 1.2mm x 89mm CoCr KWCC-DD-12089 (01)00841506138114 (01) 00841506138114
K-Wire, 1.6mm x 127mm KWIR-STD-15127 (01)00841506102504 (01) 00841506102504	K-Wire, Threaded Tip with Olive Stop, 1.2mm x 64mm KWIR-OLV-12064 (01)00841506146690 (01) 00841506146690
AIMing Guides	
PROTEAN AIMing Guide, 2.0mm PRT-AIM-20 (01)00841506138091 (01) 00841506138091	PROTEAN AIMing Guide, 2.5mm PRT-AIM-25 (01)00841506138381 (01) 00841506138381
Non-Locking Screws, 1.2mm	
Screw, Non-Locking, 1.2mm x 6mm, CoCr VAN-12006-CC (01)00841506137216 (01) 00841506137216	Screw, Non-Locking, 1.2mm x 11mm, CoCr VAN-12011-CC (01)00841506137261 (01) 00841506137261
Screw, Non-Locking, 1.2mm x 7mm, CoCr VAN-12007-CC (01)00841506137223 (01) 00841506137223	Screw, Non-Locking, 1.2mm x 12mm, CoCr VAN-12012-CC (01)00841506137278 (01) 00841506137278
Screw, Non-Locking, 1.2mm x 8mm, CoCr VAN-12008-CC (01)00841506137230 (01) 00841506137230	Screw, Non-Locking, 1.2mm x 13mm, CoCr VAN-12013-CC (01)00841506137285 (01) 00841506137285
Screw, Non-Locking, 1.2mm x 9mm, CoCr VAN-12009-CC (01)00841506137247 (01) 00841506137247	Screw, Non-Locking, 1.2mm x 14mm, CoCr VAN-12014-CC (01)00841506137292 (01) 00841506137292
Screw, Non-Locking, 1.2mm x 10mm, CoCr VAN-12010-CC (01)00841506137254 (01) 00841506137254	
PROTEAN Hand Plates, 1.5mm	
PROTEAN Fragment Plate, Ladder, 1.5mm, Ti PRT-LDR-015 (01)00841506137193 (01) 00841506137193	PROTEAN Fragment Plate, Straight/Rotation, 1.5mm, Ti PRT-STR-015 (01)00841506137186 (01) 00841506137186

© 2026 Skeletal Dynamics, Inc.

PROTEAN Fragment Plate, Phalanx, 1.5, Ti PRT-PHX-015 (01)00841506137179 (01) 00841506137179	PROTEAN Fragment Plate, Web, 1.5, Ti PRT-WEB-015 (01)00841506137209 (01) 00841506137209
PROTEAN Fragment Plate, TY, 1.5, Ti PRT-TY-015 (01)00841506137162 (01) 00841506137162	PROTEAN Fragment Plate, Metacarpal, 1.5, Ti PRT-MC-015 (01)00841506145228 (01) 00841506145228
Variable Angle Locking Screws, 1.5mm	
Screw, Variable Angle Locking, 1.5mm x 5mm, CoCr VAL-15050-CC (01)00841506137315 (01) 00841506137315	Screw, Variable Angle Locking, 1.5mm x 15mm, CoCr VAL-15150-CC (01)00841506136479 (01) 00841506136479
Screw, Variable Angle Locking, 1.5mm x 6mm, CoCr VAL-15060-CC (01)00841506136387 (01) 00841506136387	Screw, Variable Angle Locking, 1.5mm x 16mm, CoCr VAL-15160-CC (01)00841506136486 (01) 00841506136486
Screw, Variable Angle Locking, 1.5mm x 7mm, CoCr VAL-15070-CC (01)00841506136394 (01) 00841506136394	Screw, Variable Angle Locking, 1.5mm x 18mm, CoCr VAL-15180-CC (01)00841506136493 (01) 00841506136493
Screw, Variable Angle Locking, 1.5mm x 8mm, CoCr VAL-15080-CC (01)00841506136400 (01) 00841506136400	Screw, Variable Angle Locking, 1.5mm x 20mm, CoCr VAL-15200-CC (01)00841506136509 (01) 00841506136509
Screw, Variable Angle Locking, 1.5mm x 9mm, CoCr VAL-15090-CC (01)00841506136417 (01) 00841506136417	Screw, Variable Angle Locking, 1.5mm x 22mm, CoCr VAL-15220-CC (01)00841506136516 (01) 00841506136516
Screw, Variable Angle Locking, 1.5mm x 10mm, CoCr VAL-15100-CC (01)00841506136424 (01) 00841506136424	Screw, Variable Angle Locking, 1.5mm x 24mm, CoCr VAL-15240-CC (01)00841506136523 (01) 00841506136523
Screw, Variable Angle Locking, 1.5mm x 11mm, CoCr VAL-15110-CC (01)00841506136431 (01) 00841506136431	Screw, Variable Angle Locking, 1.5mm x 26mm, CoCr VAL-15260-CC (01)00841506136530 (01) 00841506136530
Screw, Variable Angle Locking, 1.5mm x 12mm, CoCr VAL-15120-CC (01)00841506136448 (01) 00841506136448	Screw, Variable Angle Locking, 1.5mm x 28mm, CoCr VAL-15280-CC (01)00841506136547 (01) 00841506136547
Screw, Variable Angle Locking, 1.5mm x 13mm, CoCr VAL-15130-CC (01)00841506136455 (01) 00841506136455	Screw, Variable Angle Locking, 1.5mm x 30mm, CoCr VAL-15300-CC (01)00841506136554 (01) 00841506136554

© 2026 Skeletal Dynamics, Inc.

Screw, Variable Angle Locking, 1.5mm x 14mm, CoCr VAL-15140-CC (01)00841506136462 (01) 00841506136462	
Locking Screws, 1.5mm	
Screw, Locking, 1.5mm x 5mm, Ti FAL-15050-TS (01)00841506146904 (01) 00841506146904	Screw, Locking, 1.5mm x 15mm, Ti FAL-15150-TS (01)00841506147000 (01) 00841506147000
Screw, Locking, 1.5mm x 6mm, Ti FAL-15060-TS (01)00841506146911 (01) 00841506146911	Screw, Locking, 1.5mm x 16mm, Ti FAL-15160-TS (01)00841506147017 (01) 00841506147017
Screw, Locking, 1.5mm x 7mm, Ti FAL-15070-TS (01)00841506146928 (01) 00841506146928	Screw, Locking, 1.5mm x 18mm, Ti FAL-15180-TS (01)00841506147024 (01) 00841506147024
Screw, Locking, 1.5mm x 8mm, Ti FAL-15080-TS (01)00841506146935 (01) 00841506146935	Screw, Locking, 1.5mm x 20mm, Ti FAL-15200-TS (01)00841506147031 (01) 00841506147031
Screw, Locking, 1.5mm x 9mm, Ti FAL-15090-TS (01)00841506146942 (01) 00841506146942	Screw, Locking, 1.5mm x 22mm, Ti FAL-15220-TS (01)00841506147048 (01) 00841506147048
Screw, Locking, 1.5mm x 10mm, Ti FAL-15100-TS (01)00841506146959 (01) 00841506146959	Screw, Locking, 1.5mm x 24mm, Ti FAL-15240-TS (01)00841506147055 (01) 00841506147055
Screw, Locking, 1.5mm x 11mm, Ti FAL-15110-TS (01)00841506146966 (01) 00841506146966	Screw, Locking, 1.5mm x 26mm, Ti FAL-15260-TS (01)00841506147062 (01) 00841506147062
Screw, Locking, 1.5mm x 12mm, Ti FAL-15120-TS (01)00841506146973 (01) 00841506146973	Screw, Locking, 1.5mm x 28mm, Ti FAL-15280-TS (01)00841506147079 (01) 00841506147079
Screw, Locking, 1.5mm x 13mm, Ti FAL-15130-TS (01)00841506146980 (01) 00841506146980	Screw, Locking, 1.5mm x 30mm, Ti FAL-15300-TS (01)00841506147086 (01) 00841506147086
Screw, Locking, 1.5mm x 14mm, Ti FAL-15140-TS (01)00841506146997 (01) 00841506146997	

© 2026 Skeletal Dynamics, Inc.

Non-Locking Screws, 1.5mm	
Screw, Non-Locking, 1.5mm x 5mm, Ti VAN-15050-TS (01)00841506137339 (01) 00841506137339	Screw, Non-Locking, 1.5mm x 15mm, Ti VAN-15150-TS (01)00841506137438 (01) 00841506137438
Screw, Non-Locking, 1.5mm x 6mm, Ti VAN-15060-TS (01)00841506137346 (01) 00841506137346	Screw, Non-Locking, 1.5mm x 16mm, Ti VAN-15160-TS (01)00841506137445 (01) 00841506137445
Screw, Non-Locking, 1.5mm x 7mm, Ti VAN-15070-TS (01)00841506137353 (01) 00841506137353	Screw, Non-Locking, 1.5mm x 18mm, Ti VAN-15180-TS (01)00841506137452 (01) 00841506137452
Screw, Non-Locking, 1.5mm x 8mm, Ti VAN-15080-TS (01)00841506137360 (01) 00841506137360	Screw, Non-Locking, 1.5mm x 20mm, Ti VAN-15200-TS (01)00841506137469 (01) 00841506137469
Screw, Non-Locking, 1.5mm x 9mm, Ti VAN-15090-TS (01)00841506137377 (01) 00841506137377	Screw, Non-Locking, 1.5mm x 22mm, Ti VAN-15220-TS (01)00841506137476 (01) 00841506137476
Screw, Non-Locking, 1.5mm x 10mm, Ti VAN-15100-TS (01)00841506137384 (01) 00841506137384	Screw, Non-Locking, 1.5mm x 24mm, Ti VAN-15240-TS (01)00841506137483 (01) 00841506137483
Screw, Non-Locking, 1.5mm x 11mm, Ti VAN-15110-TS (01)00841506137391 (01) 00841506137391	Screw, Non-Locking, 1.5mm x 26mm, Ti VAN-15260-TS (01)00841506137490 (01) 00841506137490
Screw, Non-Locking, 1.5mm x 12mm, Ti VAN-15120-TS (01)00841506137407 (01) 00841506137407	Screw, Non-Locking, 1.5mm x 28mm, Ti VAN-15280-TS (01)00841506137506 (01) 00841506137506
Screw, Non-Locking, 1.5mm x 13mm, Ti VAN-15130-TS (01)00841506137414 (01) 00841506137414	Screw, Non-Locking, 1.5mm x 30mm, Ti VAN-15300-TS (01)00841506137513 (01) 00841506137513
Screw, Non-Locking, 1.5mm x 14mm, Ti VAN-15140-TS (01)00841506137421 (01) 00841506137421	
PROTEAN Hand Plates, 2.0mm	
PROTEAN Fragment Plate, TY, 2.0mm, Ti PRT-TY-020 (01)00841506137605 (01) 00841506137605	PROTEAN Fragment Plate, Straight/Rotation, 2.0mm, Ti PRT-STR-020 (01)00841506137636 (01) 00841506137636

© 2026 Skeletal Dynamics, Inc.

PROTEAN Fragment Plate, Metacarpal, 2.0mm, Ti PRT-MC-020 (01)00841506137612 (01) 00841506137612	PROTEAN Fragment Plate, Ladder, 2.0mm, Ti PRT-LDR-020 (01)00841506137643 (01) 00841506137643
PROTEAN Fragment Plate, Phalanx, 2.0mm, Ti PRT-PHX-020 (01)00841506137629 (01) 00841506137629	PROTEAN Fragment Plate, Web, 2.0mm, Ti PRT-WEB-020 (01)00841506137650 (01) 00841506137650
PROTEAN Fragment Plate, PS, 2.0, Ti PRT-PS-020 (01)00841506140346 (01) 00841506140346	PROTEAN Fragment Plate, PS, Large, 2.0, Ti PRT-PSO-020 (01)00841506140353 (01) 00841506140353
Variable Angle Locking Screws, 2.0mm	
Screw, Variable Angle Locking, 2.0mm x 6mm, CoCr VAL-20060-CC (01)00841506136202 (01) 00841506136202	Screw, Variable Angle Locking, 2.0mm x 15mm, CoCr VAL-20150-CC (01)00841506136295 (01) 00841506136295
Screw, Variable Angle Locking, 2.0mm x 7mm, CoCr VAL-20070-CC (01)00841506136219 (01) 00841506136219	Screw, Variable Angle Locking, 2.0mm x 16mm, CoCr VAL-20160-CC (01)00841506136301 (01) 00841506136301
Screw, Variable Angle Locking, 2.0mm x 8mm, CoCr VAL-20080-CC (01)00841506136226 (01) 00841506136226	Screw, Variable Angle Locking, 2.0mm x 18mm, CoCr VAL-20180-CC (01)00841506136318 (01) 00841506136318
Screw, Variable Angle Locking, 2.0mm x 9mm, CoCr VAL-20090-CC (01)00841506136233 (01) 00841506136233	Screw, Variable Angle Locking, 2.0mm x 20mm, CoCr VAL-20200-CC (01)00841506136325 (01) 00841506136325
Screw, Variable Angle Locking, 2.0mm x 10mm, CoCr VAL-20100-CC (01)00841506136240 (01) 00841506136240	Screw, Variable Angle Locking, 2.0mm x 22mm, CoCr VAL-20220-CC (01)00841506136332 (01) 00841506136332
Screw, Variable Angle Locking, 2.0mm x 11mm, CoCr VAL-20110-CC (01)00841506136257 (01) 00841506136257	Screw, Variable Angle Locking, 2.0mm x 24mm, CoCr VAL-20240-CC (01)00841506136349 (01) 00841506136349
Screw, Variable Angle Locking, 2.0mm x 12mm, CoCr VAL-20120-CC (01)00841506136264 (01) 00841506136264	Screw, Variable Angle Locking, 2.0mm x 26mm, CoCr VAL-20260-CC (01)00841506136356 (01) 00841506136356
Screw, Variable Angle Locking, 2.0mm x 13mm, CoCr VAL-20130-CC (01)00841506136271 (01) 00841506136271	Screw, Variable Angle Locking, 2.0mm x 28mm, CoCr VAL-20280-CC (01)00841506136363 (01) 00841506136363

© 2026 Skeletal Dynamics, Inc.

Screw, Variable Angle Locking, 2.0mm x 14mm, CoCr VAL-20140-CC (01)00841506136288 (01) 00841506136288	Screw, Variable Angle Locking, 2.0mm x 30mm, CoCr VAL-20300-CC (01)00841506136370 (01) 00841506136370
Locking Screws, 2.0mm	
Screw, Locking, 2.0mm x 6mm, Ti FAL-20060-TS (01)00841506147093 (01) 00841506147093	Screw, Locking, 2.0mm x 15mm, Ti FAL-20150-TS (01)00841506147215 (01) 00841506147215
Screw, Locking, 2.0mm x 7mm, Ti FAL-20070-TS (01)00841506147109 (01) 00841506147109	Screw, Locking, 2.0mm x 16mm, Ti FAL-20160-TS (01)00841506147192 (01) 00841506147192
Screw, Locking, 2.0mm x 8mm, Ti FAL-20080-TS (01)00841506147116 (01) 00841506147116	Screw, Locking, 2.0mm x 18mm, Ti FAL-20180-TS (01)00841506147208 (01) 00841506147208
Screw, Locking, 2.0mm x 9mm, Ti FAL-20090-TS (01)00841506147123 (01) 00841506147123	Screw, Locking, 2.0mm x 20mm, Ti FAL-20200-TS (01)00841506147215 (01) 00841506147215
Screw, Locking, 2.0mm x 10mm, Ti FAL-20100-TS (01)00841506147130 (01) 00841506147130	Screw, Locking, 2.0mm x 22mm, Ti FAL-20220-TS (01)00841506147222 (01) 00841506147222
Screw, Locking, 2.0mm x 11mm, Ti FAL-20110-TS (01)00841506147147 (01) 00841506147147	Screw, Locking, 2.0mm x 24mm, Ti FAL-20240-TS (01)00841506147239 (01) 00841506147239
Screw, Locking, 2.0mm x 12mm, Ti FAL-20120-TS (01)00841506147154 (01) 00841506147154	Screw, Locking, 2.0mm x 26mm, Ti FAL-20260-TS (01)00841506147246 (01) 00841506147246
Screw, Locking, 2.0mm x 13mm, Ti FAL-20130-TS (01)00841506147161 (01) 00841506147161	Screw, Locking, 2.0mm x 28mm, Ti FAL-20280-TS (01)00841506147253 (01) 00841506147253
Screw, Locking, 2.0mm x 14mm, Ti FAL-20140-TS (01)00841506147178 (01) 00841506147178	Screw, Locking, 2.0mm x 30mm, Ti FAL-20300-TS (01)00841506147260 (01) 00841506147260
Non-Locking Screws, 2.0mm	
Screw, Non-Locking, 2.0mm x 6mm, Ti VAN-20060-TS (01)00841506137667 (01) 00841506137667	Screw, Non-Locking, 2.0mm x 15mm, Ti VAN-20150-TS (01)00841506137759 (01) 00841506137759

© 2026 Skeletal Dynamics, Inc.

Screw, Non-Locking, 2.0mm x 7mm, Ti VAN-20070-TS (01)00841506137674 (01) 00841506137674	Screw, Non-Locking, 2.0mm x 16mm, Ti VAN-20160-TS (01)00841506137766 (01) 00841506137766
Screw, Non-Locking, 2.0mm x 8mm, Ti VAN-20080-TS (01)00841506137681 (01) 00841506137681	Screw, Non-Locking, 2.0mm x 18mm, Ti VAN-20180-TS (01)00841506137773 (01) 00841506137773
Screw, Non-Locking, 2.0mm x 9mm, Ti VAN-20090-TS (01)00841506137698 (01) 00841506137698	Screw, Non-Locking, 2.0mm x 20mm, Ti VAN-20200-TS (01)00841506137780 (01) 00841506137780
Screw, Non-Locking, 2.0mm x 10mm, Ti VAN-20100-TS (01)00841506137704 (01) 00841506137704	Screw, Non-Locking, 2.0mm x 22mm, Ti VAN-20220-TS (01)00841506137797 (01) 00841506137797
Screw, Non-Locking, 2.0mm x 11mm, Ti VAN-20110-TS (01)00841506137711 (01) 00841506137711	Screw, Non-Locking, 2.0mm x 24mm, Ti VAN-20240-TS (01)00841506137803 (01) 00841506137803
Screw, Non-Locking, 2.0mm x 12mm, Ti VAN-20120-TS (01)00841506137728 (01) 00841506137728	Screw, Non-Locking, 2.0mm x 26mm, Ti VAN-20260-TS (01)00841506137810 (01) 00841506137810
Screw, Non-Locking, 2.0mm x 13mm, Ti VAN-20130-TS (01)00841506137735 (01) 00841506137735	Screw, Non-Locking, 2.0mm x 28mm, Ti VAN-20280-TS (01)00841506137827 (01) 00841506137827
Screw, Non-Locking, 2.0mm x 14mm, Ti VAN-20140-TS (01)00841506137742 (01) 00841506137742	Screw, Non-Locking, 2.0mm x 30mm, Ti VAN-20300-TS (01)00841506137834 (01) 00841506137834
Protean Hand Plates, 2.5mm	
PROTEAN Fragment Plate, TY, 2.5mm, Ti PRT-TY-025 (01)00841506137865 (01) 00841506137865	PROTEAN Fragment Plate, Straight/Rotation, 2.5mm, Ti PRT-STR-025 (01)00841506137889 (01) 00841506137889
PROTEAN Fragment Plate, Metacarpal, 2.5mm, Ti PRT-MC-025 (01)00841506137872 (01) 00841506137872	PROTEAN Fragment Plate, CMC PRT-MFP-CMC (01)00841506113050 (01) 00841506113050
Variable Angle Locking Screws, 2.5mm	
Screw, Variable Angle Locking, 2.5mm x 6mm, CoCr VAL-25060-CC (01)00841506136028 (01) 00841506136028	Screw, Variable Angle Locking, 2.5mm x 15mm, CoCr VAL-25150-CC (01)00841506136110 (01) 00841506136110

© 2026 Skeletal Dynamics, Inc.

Screw, Variable Angle Locking, 2.5mm x 7mm, CoCr VAL-25070-CC (01)00841506136035 (01) 00841506136035	Screw, Variable Angle Locking, 2.5mm x 16mm, CoCr VAL-25160-CC (01)00841506136127 (01) 00841506136127
Screw, Variable Angle Locking, 2.5mm x 8mm, CoCr VAL-25080-CC (01)00841506136042 (01) 00841506136042	Screw, Variable Angle Locking, 2.5mm x 18mm, CoCr VAL-25180-CC (01)00841506136134 (01) 00841506136134
Screw, Variable Angle Locking, 2.5mm x 9mm, CoCr VAL-25090-CC (01)00841506136059 (01) 00841506136059	Screw, Variable Angle Locking, 2.5mm x 20mm, CoCr VAL-25200-CC (01)00841506136141 (01) 00841506136141
Screw, Variable Angle Locking, 2.5mm x 10mm, CoCr VAL-25100-CC (01)00841506136066 (01) 00841506136066	Screw, Variable Angle Locking, 2.5mm x 22mm, CoCr VAL-25220-CC (01)00841506136158 (01) 00841506136158
Screw, Variable Angle Locking, 2.5mm x 11mm, CoCr VAL-25110-CC (01)00841506136073 (01) 00841506136073	Screw, Variable Angle Locking, 2.5mm x 24mm, CoCr VAL-25240-CC (01)00841506136165 (01) 00841506136165
Screw, Variable Angle Locking, 2.5mm x 12mm, CoCr VAL-25120-CC (01)00841506136080 (01) 00841506136080	Screw, Variable Angle Locking, 2.5mm x 26mm, CoCr VAL-25260-CC (01)00841506136172 (01) 00841506136172
Screw, Variable Angle Locking, 2.5mm x 13mm, CoCr VAL-25130-CC (01)00841506136097 (01) 00841506136097	Screw, Variable Angle Locking, 2.5mm x 28mm, CoCr VAL-25280-CC (01)00841506136189 (01) 00841506136189
Screw, Variable Angle Locking, 2.5mm x 14mm, CoCr VAL-25140-CC (01)00841506136103 (01) 00841506136103	Screw, Variable Angle Locking, 2.5mm x 30mm, CoCr VAL-25300-CC (01)00841506136196 (01) 00841506136196
Locking Screw, 2.5mm	
Screw, Locking, 2.5mm x 6mm, Ti FAL-25060-TS (01)00841506147277 (01) 00841506147277	Screw, Locking, 2.5mm x 15mm, Ti FAL-25150-TS (01)00841506147369 (01) 00841506147369
Screw, Locking, 2.5mm x 7mm, Ti FAL-25070-TS (01)00841506147284 (01) 00841506147284	Screw, Locking, 2.5mm x 16mm, Ti FAL-25160-TS (01)00841506147376 (01) 00841506147376
Screw, Locking, 2.5mm x 8mm, Ti FAL-25080-TS (01)00841506147291 (01) 00841506147291	Screw, Locking, 2.5mm x 18mm, Ti FAL-25180-TS (01)00841506147383 (01) 00841506147383
Screw, Locking, 2.5mm x 9mm, Ti FAL-25090-TS (01)00841506147307 (01) 00841506147307	IScrew, Locking, 2.5mm x 20mm, Ti FAL-25200-TS (01)00841506147390 (01) 00841506147390

© 2026 Skeletal Dynamics, Inc.

Screw, Locking, 2.5mm x 10mm, Ti FAL-25100-TS (01)00841506147314	Screw, Locking, 2.5mm x 22mm, Ti FAL-25220-TS (01)00841506147406
Screw, Locking, 2.5mm x 11mm, Ti FAL-25110-TS (01)00841506147321	Screw, Locking, 2.5mm x 24mm, Ti FAL-25240-TS (01)00841506147413
Screw, Locking, 2.5mm x 12mm, Ti FAL-25120-TS (01)00841506147338	Screw, Locking, 2.5mm x 26mm, Ti FAL-25260-TS (01)00841506147420
Screw, Locking, 2.5mm x 13mm, Ti FAL-25130-TS (01)00841506147345	Screw, Locking, 2.5mm x 28mm, Ti FAL-25280-TS (01)00841506147437
Screw, Locking, 2.5mm x 14mm, Ti FAL-25140-TS (01)00841506147352	Screw, Locking, 2.5mm x 30mm, Ti FAL-25300-TS (01)00841506147444
Non-Locking Screw, 2.5mm	
Screw, Non-Locking, 2.5mm x 6mm, Ti VAN-25060-TS (01)00841506137896	Screw, Non-Locking, 2.5mm x 15mm, Ti VAN-25150-TS (01)00841506137988
Screw, Non-Locking, 2.5mm x 7mm, Ti VAN-25070-TS (01)00841506137902	Screw, Non-Locking, 2.5mm x 16mm, Ti VAN-25160-TS (01)00841506137995
Screw, Non-Locking, 2.5mm x 8mm, Ti VAN-25080-TS (01)00841506137919	Screw, Non-Locking, 2.5mm x 18mm, Ti VAN-25180-TS (01)00841506138008
Screw, Non-Locking, 2.5mm x 9mm, Ti VAN-25090-TS (01)00841506137926	Screw, Non-Locking, 2.5mm x 20mm, Ti VAN-25200-TS (01)00841506138015
Screw, Non-Locking, 2.5mm x 10mm, Ti VAN-25100-TS (01)00841506137933	Screw, Non-Locking, 2.5mm x 22mm, Ti VAN-25220-TS (01)00841506138022
Screw, Non-Locking, 2.5mm x 11mm, Ti VAN-25110-TS (01)00841506137940	Screw, Non-Locking, 2.5mm x 24mm, Ti VAN-25240-TS (01)00841506138039
Screw, Non-Locking, 2.5mm x 12mm, Ti VAN-25120-TS (01)00841506137957	Screw, Non-Locking, 2.5mm x 26mm, Ti VAN-25260-TS (01)00841506138046

IFU-01206-00 V.4 – February 2026
© 2026 Skeletal Dynamics, Inc.

Screw, Non-Locking, 2.5mm x 13mm, Ti VAN-25130-TS (01)00841506137964 (01) 00841506137964	Screw, Non-Locking, 2.5mm x 28mm, Ti VAN-25280-TS (01)00841506138053 (01) 00841506138053
Screw, Non-Locking, 2.5mm x 14mm, Ti VAN-25140-TS (01)00841506137971 (01) 00841506137971	Screw, Non-Locking, 2.5mm x 30mm, Ti VAN-25300-TS (01)00841506138060 (01) 00841506138060
Smooth Peg, Variable Angle Locking 1.8mm x XXmm, CoCr	
Smooth Peg, Variable Angle Locking, 1.8mm x 6mm, CoCr SPLS-18060-CC (01)00841506140360 (01) 00841506140360	Smooth Peg, Variable Angle Locking, 1.8mm x 13mm, CoCr SPLS-18130-CC (01)00841506140438 (01) 00841506140438
Smooth Peg, Variable Angle Locking, 1.8mm x 7mm, CoCr SPLS-18070-CC (01)00841506140377 (01) 00841506140377	Smooth Peg, Variable Angle Locking, 1.8mm x 14mm, CoCr SPLS-18140-CC (01)00841506140445 (01) 00841506140445
Smooth Peg, Variable Angle Locking, 1.8mm x 8mm, CoCr SPLS-18080-CC (01)00841506140384 (01) 00841506140384	Smooth Peg, Variable Angle Locking, 1.8mm x 15mm, CoCr SPLS-18150-CC (01)00841506140452 (01) 00841506140452
Smooth Peg, Variable Angle Locking, 1.8mm x 9mm, CoCr SPLS-18090-CC (01)00841506140391 (01) 00841506140391	Smooth Peg, Variable Angle Locking, 1.8mm x 16mm, CoCr SPLS-18160-CC (01)00841506140469 (01) 00841506140469
Smooth Peg, Variable Angle Locking, 1.8mm x 10mm, CoCr SPLS-18100-CC (01)00841506140407 (01) 00841506140407	Smooth Peg, Variable Angle Locking, 1.8mm x 18mm, CoCr SPLS-18180-CC (01)00841506140476 (01) 00841506140476
Smooth Peg, Variable Angle Locking, 1.8mm x 11mm, CoCr SPLS-18110-CC (01)00841506140414 (01) 00841506140414	Smooth Peg, Variable Angle Locking, 1.8mm x 20mm, CoCr SPLS-18200-CC (01)00841506140483 (01) 00841506140483
Smooth Peg, Variable Angle Locking, 1.8mm x 12mm, CoCr SPLS-18120-CC (01)00841506140421 (01) 00841506140421	Smooth Peg, Variable Angle Locking, 1.8mm x 22mm, CoCr SPLS-18220-CC (01)00841506140490 (01) 00841506140490

IFU-01206-00 V.4 – February 2026
© 2026 Skeletal Dynamics, Inc.